

CERTIFICATE OF ANALYSIS

CUSTOMER

CERTIFICATE NO.

1038384.34/13297

CUSTOMER REF.

9162

SAMPLE DETAILS SAFEGROUP ANTIMICROBIAL TEXTILE COATING

DATE RECEIVED

04/09/2019

ORDER NO.

METHOD: Determination of Antibacterial Activity using Test Based on MOD ISO 20743

DATE ANALYSED

04/09/2019

DATE REPORTED

06/09/2019

RESULTS (AS CFU CM²)

SAMPLE	SPECIES	CONTACT TIME		REDUCTION (CONTROL)	
		0 hrs	24 hrs	Log 10	%
CONTROL FABRIC (WASHED X3)	<i>E coli</i>	1.8E+04	3.5E+06		
TREATED FABRIC (WASHED X3)	<i>E coli</i>	1.8E+04	< 6.25	≥ 5.74	≥ 99.99%

Key: NS = Poor survival on control supplied.

The above data show the difference in the population following contact with the surface of the samples listed for 24 hours at 35°C under a RH of > 95% relative to the control sample.

Certificate valid for up to 2 years from date of test.

IMSL MICROBIOLOGICAL SERVICES LTD
PALE LANE
HARTLEY WINTNEY
HANTS RG27 8DH
UK

MANAGING DIRECTOR
Peter D Askew

